

M18 HOAL | M18™ HIGH OUTPUT AREA LIGHT

- 4000 Lumens TRUEVIEW™ of High Definition Output
- Up to 12 hours of run time on M18® REDLITHIUM™ 5.0 Ah battery pack
- 120° rotatable light head and integrated key holes for horizontal and vertical hanging
- Impact resistant design and durable roll cage to protect the light from rough jobsite conditions
- ACD/DC versatility: Powered by MILWAUKEE® M18™ batteries, or mains plug supply
- Easy one-handed transport with built-in carry handles
- Low battery indicator, light flashes when battery pack is low on charge
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



TRUEVIEW™ M18

| M18 HOAL-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 4000 / 2000 / 1200 |
| Max. run time with M18 B5 battery (h) | 3 / 6 / 12 |
| Weight with battery pack (kg) | 3.3 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478118 |

M18 PAL | M18™ PIVOTING AREA LIGHT

- TRUEVIEW™ high definition lighting with up to 1500 Lumens and up to 20 hours of run time, allows replacement of 500 W halogen
- Two powerful magnets, a spring loaded clamp and a folding rotating light head design provide multiple mounting options and illumination possibilities from any angle
- Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres
- Most compact M18™ flood light designed for the on-the-go needs of service and maintenance trades
- IP54 rating, the light is protected from dust and splashing water
- Integrated handle/tie off zone, designed to be carried or tethered while used on a scissor lift
- Low battery indicator, light flashes when battery pack is low on charge
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



TRUEVIEW™ M18

| M18 PAL-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 1500 / 600 / 300 |
| Max. run time with M18 B5 battery (h) | 4.5 / 10 / 20 |
| Weight with battery pack (kg) | 2.1 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464105 |

M18 AL | M18™ LED AREA LIGHT

- TRUEVIEW™ high definition lighting
- Eight high performance LEDs provide 1500 Lumens of light output - up to 30% brighter than 250 W halogen lights
- Compact roll cage design provides superior durability
- Convenient built-in handle - ability to hang vertically or horizontally
- Flexibility to mount vertically on a max. 13 mm diameter pipe, threaded rod or rebar to maximise hands-free operation
- Flexible battery system: works with all MILWAUKEE® M18™ batteries*



TRUEVIEW™ M18

| M18 AL-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 1500 / - / 780 |
| Max. run time with M18 B5 battery (h) | 5 / 10 |
| Weight with battery pack (kg) | 2.1 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430392 |

M12 PAL | M12™ PIVOT AREA LIGHT

- TRUEVIEW™ high definition lighting with up to 700 Lumens
- Up to 8 hours of run time on M12™ 4.0 Ah battery pack
- With powerful magnets as well as a rotating light head design with 40° rotation in each direction to provide multiple beam options
- Highly durable and impact resistant design to withstand drops up to 3 m
- Most compact M12™ flood light designed for the on-the-go needs of service and maintenance trades
- 2.1 AMP USB output for USB device charging
- IP54 rating, the light is protected from dust and splashing water
- Low battery indicator, light flashes when battery pack is low on charge
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



TRUEVIEW™ M12

| M12 PAL-0 | |
|---|---|
| System | M12 |
| Battery compatibility | All MILWAUKEE® M12™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 700 / 500 / - / - |
| Max. run time with M12 B4 battery (h) | 5 / 10 / - |
| Weight with battery pack (kg) | 0.7 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933478226 |

M12 AL | M12™ LED AREA LIGHT

- TRUEVIEW™ high definition lighting
- Five high performance LEDs provide 1000 Lumens of light output replacing 250 W halogen lights
- Highly durable and impact resistant polycarbonate lens to withstand drops up to 2.7 metres
- Integrated magnets, clamping mechanism, and key hole for screws / nails provide multiple mounting options for different surfaces
- Most compact flood light designed for the on-the-go needs of service and maintenance trades
- IP54 rating, the light is protected from dust and splashing water
- Low battery indicator, light flashes when battery pack is low on charge
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



TRUEVIEW™ M12

| M12 AL-0 | |
|---|---|
| System | M12 |
| Battery compatibility | All MILWAUKEE® M12™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 1000 / 500 / 250 |
| Max. run time with M12 B4 battery (h) | 3.5 / 7.5 / 15 |
| Weight with battery pack (kg) | 1.3 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933451394 |

M12 MLED | M12™ LED HIGH PERFORMANCE FLASHLIGHT

- TRUEVIEW™ high definition lighting
- Sliding head allows adjustment of beam pattern from flooding to spotting
- Powerful LED can cast 350 m intense and highly focused beam of light with up to 800 Lumens
- Machined 6000 series aluminium with a type II anodized finish body, highly durable and impact resistant polycarbonate lens for extreme durability
- Ergonomic contoured grip with knurled texture ensures perfect handle
- IP54 rating, light is protected from dust and splashing water
- M12™ fuel gauge with low battery indication
- Hand wrist lanyard to keep the light safe and handy
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



TRUEVIEW™ M12

| M12 MLED-0 | |
|---|---|
| System | M12 |
| Battery compatibility | All MILWAUKEE® M12™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 900 / - / 325 / 800 |
| Max. run time with M12 B4 battery (h) | 5 / - / 1 / 7 |
| Beam distance (m) | 350 |
| Weight with battery pack (kg) | 0.7 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933451899 |

M18 TLED | M18™ LED TORCH

- The 120 Lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M18™ LED electronics deliver 2x longer run time on a single charge with less heat than conventional removable light bulbs
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 135° rotating head allows the user to easily direct the light beam at the desired work area
- Integrated hook for hands-free use
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



TRUEVIEW™ M18

| M18 TLED-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 120 / - / - / - |
| Max. run time with M18 B5 battery (h) | 29 / - / - / - |
| Weight with battery pack (kg) | 0.7 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430361 |

M12 TLED | M12™ LED TORCH

- The 120 Lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M12™ LED electronics deliver 2x longer run time on a single charge with less heat
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 90° rotating head allows the user to easily direct the light beam at the desired work area
- Magnetic back for hands-free use
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



TRUEVIEW™ M12

| M12 TLED-0 | |
|---|---|
| System | M12 |
| Battery compatibility | All MILWAUKEE® M12™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 120 / - / - / - |
| Max. run time with M12 B4 battery (h) | 15 / - / - / - |
| Weight with battery pack (kg) | 0.5 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430360 |

L4 FL | USB RECHARGEABLE POCKET FLOOD LIGHT

- 445 Lumens of TRUEVIEW™ high definition output
- Can be mounted with double magnet and clipped on pockets
- Compact size allows easy storage in pocket
- IP54 rating, light is protected from dust and splashing water
- Impact and chemical resistant lens
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| L4 FL-201 | |
|---|--|
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 445 / - / 100 / - |
| Max. run time with L4 B2 battery (h) | 2 / - / 11 / - |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable, Blister packaging |
| Article Number | 4933459442 |

FL-LED | ALKALINE FLOOD LIGHT

- 300 Lumens of TRUEVIEW™ high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details
- Can be mounted with double magnet and clipped on pockets
- Compact size and lightweight construction allows easy storage in pocket
- IP54 rating, light is protected from dust and splashing water
- Impact and chemical resistant lens for more durability
- Includes 2x AA alkaline batteries



TRUEVIEW™ II

| FL-LED | |
|---|-------------------------------------|
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 300 / - / 100 / - |
| Max. run time (h) | 5 / - / 16 / - |
| Weight with battery pack (kg) | 0.1 |
| Kit included | 2 x AA Batteries, Blister packaging |
| Article Number | 4933464824 |

L4 FFL | USB RECHARGEABLE FOLDING FLOOD LIGHT

- 550 Lumens of TRUEVIEW™ high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details
- Can be mounted with double magnet or hanging the light with an integrated carabiner hook gives more versatility
- Compact size allows easy storage in pocket
- IP54 rating, light is protected from dust and splashing water
- Impact and chemical resistant lens for the jobsite
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| L4 FFL-201 | |
|---|--|
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 550 / 250 / 100 / - |
| Max. run time with L4 B2 battery (h) | 2 / 4.5 / 11.5 / - |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable, Blister packaging |
| Article Number | 4933464821 |

L4 PWL | USB RECHARGEABLE PIVOTING WORK LIGHT

- 500 Lumens Spot & Flood beam with TRUEVIEW™ high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details
- Spot & Flood beam options in different output modes for optimal brightness and up to 10 hrs run time
- Light head can be maneuvered up to 45° to help users direct light where it's needed most
- Impact and chemical resistant lens for a longer durability
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| L4 PWL-201 | |
|--|---|
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output Flood (High/Medium/Low)/Spot Mode (Lumens) | 400 / - / 100 / 500 |
| Max. run time with L4 B2 battery (h) | 3 / - / 10 / 3 |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable , Blister packaging |
| Article Number | 4933464822 |

L4 FMLED | USB RECHARGEABLE 800L FIXED FLASHLIGHT

- 800 Lumens of TRUEVIEW™ high definition output with up to 150 m beam distance
- The flashlight features 2 modes and built-eye beam pattern, optimised for distance and up-close illumination
- IP67 rated for submersion in up to 2 meter of water and protection from dust
- Momentary & constant power on button
- Removable clip for secure attachment
- Safety blinking feature allows end user to be informed of low battery status
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| L4 FMLED-201 | |
|---|---|
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 800/- / 100/- |
| Max. run time with L4 B2 battery (h) | 2.5/- / 10/- |
| Beam distance (m) | 175 |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable , Blister packaging |
| Article Number | 4933478113 |

L4 TMLED | USB RECHARGEABLE 1100L TWIST FOCUS FLASHLIGHT

- 1100 Lumens of TRUEVIEW™ high definition output with up to 175 m beam distance
- The flashlight features 3 modes and precision twist focusing that allows for full control of the beam size and intensity in any position
- IP67 rated for submersion in up to 2 meter of water and protection from dust
- Momentary & constant power on button
- Removable clip for secure attachment
- Safety blinking feature allows end user to be informed of low battery status
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| L4 TMLED-201 | |
|---|---|
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 1100/ 600/ 100/- |
| Max. run time with L4 B2 battery (h) | 1.5/ 4/ 12/- |
| Beam distance (m) | 175 |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable , Blister packaging |
| Article Number | 4933478114 |

ML-LED | ALKALINE FLASHLIGHT

- 325 Lumens of TRUEVIEW™ high definition light output deliver up to 50 m beam distance for inspection tasks
- Impact and corrosion resistant aircraft aluminium body with knurling grip for best durability
- IP67 rated for submersion in up to 1 meter of water and protection from dust
- Removable metal pocket clip
- Impact and chemical resistant lens
- Includes 3x AAA batteries



TRUEVIEW™ 3 AAA

| ML-LED | |
|---|--------------------------------------|
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 325 / - / 25 / - |
| Max. run time (h) | 5 / - / 18 / - |
| Beam distance (m) | 50 |
| Weight with battery pack (kg) | 0.13 |
| Kit included | 3 x AAA Batteries, Blister packaging |
| Article Number | 4933464825 |

IPL-LED | ALKALINE PEN LIGHT

- 100 Lumens of TRUEVIEW™ high definition light output deliver up to 30 m beam distance for inspection tasks
- Impact and corrosion resistant aircraft aluminium body with knurling grip for best durability
- IP67 rated for submersion in up to 1 meter of water and protection from dust
- Features a protective rubber bite zone for occasional hands-free use
- Removable metal pocket clip
- On/off and momentary-on button
- Includes (2) AAA batteries



TRUEVIEW™ 2 AAA

| IPL-LED | |
|---|--------------------------------------|
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 100 |
| Max. run time (h) | 3 |
| Beam distance (m) | 30 |
| Weight with battery pack (kg) | 0.1 |
| Kit included | 2 x AAA Batteries, Blister packaging |
| Article Number | 4933459440 |

HL2-LED | ALKALINE SLIM HEADLAMP

- 350 Lumens of TRUEVIEW™ high definition output
- Washable micro fiber sweat-absorbing strap for all day comfort on the head
- Ultra compact and lightweight product
- 6-position tilt adjustment for directing light
- 4 mounting clips for securing to helmets
- Light is protected from impact as well as from weather and dust
- Includes (3) AAA batteries



TRUEVIEW™ 3 AAA

| HL2-LED | |
|---|--------------------------------------|
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 350 / 150 / 25 / - |
| Max. run time (h) | 4 / 8.5 / 31 / - |
| Weight with battery pack (kg) | 0.1 |
| Kit included | 3 x AAA Batteries, Blister packaging |
| Article Number | 4933471286 |

M12 MLED | M12™ LED HIGH PERFORMANCE FLASHLIGHT

- TRUEVIEW™ high definition lighting
- Sliding head allows adjustment of beam pattern from flooding to spotting
- Powerful LED can cast 350 m intense and highly focused beam of light with up to 800 Lumens
- Machined 6000 series aluminium with a type II anodized finish body, highly durable and impact resistant polycarbonate lens for extreme durability
- Ergonomic contoured grip with knurled texture ensures perfect handle
- IP54 rating, light is protected from dust and splashing water
- M12™ fuel gauge with low battery indication
- Hand wrist lanyard to keep the light safe and handy
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



TRUEVIEW™ M12

| M12 MLED-0 | |
|---|---|
| System | M12 |
| Battery compatibility | All MILWAUKEE® M12™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 900 / - / 325 / 800 |
| Max. run time with M12 B4 battery (h) | 5 / - / 1 / 7 |
| Beam distance (m) | 350 |
| Weight with battery pack (kg) | 0.7 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4933451899 |

M18 TLED | M18™ LED TORCH

- The 120 Lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M18™ LED electronics deliver 2x longer run time on a single charge with less heat than conventional removable light bulbs
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 135° rotating head allows the user to easily direct the light beam at the desired work area
- Integrated hook for hands-free use
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



TRUEVIEW™ M18

| M18 TLED-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 120 / - / - / - |
| Max. run time with M18 B5 battery (h) | 29 / - / - / - |
| Weight with battery pack (kg) | 0.7 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430361 |

M12 TLED | M12™ LED TORCH

- The 120 Lumen LED light is 2x brighter and whiter than conventional incandescent bulbs
- M12™ LED electronics deliver 2x longer run time on a single charge with less heat
- Sealed aluminium head is designed for impact- and weather-resistant durability
- 90° rotating head allows the user to easily direct the light beam at the desired work area
- Magnetic back for hands-free use
- Flexible battery system: works with all MILWAUKEE® M12™ batteries



TRUEVIEW™ M12

| M12 TLED-0 | |
|---|---|
| System | M12 |
| Battery compatibility | All MILWAUKEE® M12™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 120 / - / - / - |
| Max. run time with M12 B4 battery (h) | 15 / - / - / - |
| Weight with battery pack (kg) | 0.5 |
| Kit included | No batteries supplied, No charger supplied, Blister packaging |
| Article Number | 4932430360 |

L4 FL | USB RECHARGEABLE POCKET FLOOD LIGHT

- 445 Lumens of TRUEVIEW™ high definition output
- Can be mounted with double magnet and clipped on pockets
- Compact size allows easy storage in pocket
- IP54 rating, light is protected from dust and splashing water
- Impact and chemical resistant lens
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| L4 FL-201 | |
|---|--|
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 445 / - / 100 / - |
| Max. run time with L4 B2 battery (h) | 2 / - / 11 / - |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable, Blister packaging |
| Article Number | 4933459442 |

FL-LED | ALKALINE FLOOD LIGHT

- 300 Lumens of TRUEVIEW™ high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details
- Can be mounted with double magnet and clipped on pockets
- Compact size and lightweight construction allows easy storage in pocket
- IP54 rating, light is protected from dust and splashing water
- Impact and chemical resistant lens for more durability
- Includes 2x AA alkaline batteries



TRUEVIEW™ II

| FL-LED | |
|---|-------------------------------------|
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 300 / - / 100 / - |
| Max. run time (h) | 5 / - / 16 / - |
| Weight with battery pack (kg) | 0.1 |
| Kit included | 2 x AA Batteries, Blister packaging |
| Article Number | 4933464824 |

L4 FFL | USB RECHARGEABLE FOLDING FLOOD LIGHT

- 550 Lumens of TRUEVIEW™ high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details
- Can be mounted with double magnet or hanging the light with an integrated carabiner hook gives more versatility
- Compact size allows easy storage in pocket
- IP54 rating, light is protected from dust and splashing water
- Impact and chemical resistant lens for the jobsite
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| L4 FFL-201 | |
|---|--|
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 550 / 250 / 100 / - |
| Max. run time with L4 B2 battery (h) | 2 / 4.5 / 11.5 / - |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable, Blister packaging |
| Article Number | 4933464821 |

L4 PWL | USB RECHARGEABLE PIVOTING WORK LIGHT

- 500 Lumens Spot & Flood beam with TRUEVIEW™ high definition output delivers consistent beam, optimised colour temperature and true representation of colours & details
- Spot & Flood beam options in different output modes for optimal brightness and up to 10 hrs run time
- Light head can be maneuvered up to 45° to help users direct light where it's needed most
- Impact and chemical resistant lens for a longer durability
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| | |
|--|---|
| | L4 PWL-201 |
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output Flood (High/Medium/Low)/Spot Mode (Lumens) | 400 / - / 100 / 500 |
| Max. run time with L4 B2 battery (h) | 3 / - / 10 / 3 |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable , Blister packaging |
| Article Number | 4933464822 |

L4 FMLED | USB RECHARGEABLE 800L FIXED FLASHLIGHT

- 800 Lumens of TRUEVIEW™ high definition output with up to 150 m beam distance
- The flashlight features 2 modes and built-eye beam pattern, optimised for distance and up-close illumination
- IP67 rated for submersion in up to 2 meter of water and protection from dust
- Momentary & constant power on button
- Removable clip for secure attachment
- Safety blinking feature allows end user to be informed of low battery status
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| | |
|---|---|
| | L4 FMLED-201 |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 800/- / 100 / - |
| Max. run time with L4 B2 battery (h) | 2.5 / - / 10 / - |
| Beam distance (m) | 175 |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable , Blister packaging |
| Article Number | 4933478113 |

L4 TMLED | USB RECHARGEABLE 1100L TWIST FOCUS FLASHLIGHT

- 1100 Lumens of TRUEVIEW™ high definition output with up to 175 m beam distance
- The flashlight features 3 modes and precision twist focusing that allows for full control of the beam size and intensity in any position
- IP67 rated for submersion in up to 2 meter of water and protection from dust
- Momentary & constant power on button
- Removable clip for secure attachment
- Safety blinking feature allows end user to be informed of low battery status
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



TRUEVIEW™ REDLITHIUM™ USB

| | |
|---|---|
| | L4 TMLED-201 |
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 1100/ 600/ 100/ - |
| Max. run time with L4 B2 battery (h) | 1.5/ 4/ 12/ - |
| Beam distance (m) | 175 |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable , Blister packaging |
| Article Number | 4933478114 |

ML-LED | ALKALINE FLASHLIGHT

- 325 Lumens of TRUEVIEW™ high definition light output deliver up to 50 m beam distance for inspection tasks
- Impact and corrosion resistant aircraft aluminium body with knurling grip for best durability
- IP67 rated for submersion in up to 1 meter of water and protection from dust
- Removable metal pocket clip
- Impact and chemical resistant lens
- Includes 3x AAA batteries



TRUEVIEW™ III 3 AAA

| | |
|---|--------------------------------------|
| | ML-LED |
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 325 / - / 25 / - |
| Max. run time (h) | 5 / - / 18 / - |
| Beam distance (m) | 50 |
| Weight with battery pack (kg) | 0.13 |
| Kit included | 3 x AAA Batteries, Blister packaging |
| Article Number | 4933464825 |

IPL-LED | ALKALINE PEN LIGHT

- 100 Lumens of TRUEVIEW™ high definition light output deliver up to 30 m beam distance for inspection tasks
- Impact and corrosion resistant aircraft aluminium body with knurling grip for best durability
- IP67 rated for submersion in up to 1 meter of water and protection from dust
- Features a protective rubber bite zone for occasional hands-free use
- Removable metal pocket clip
- On/off and momentary-on button
- Includes (2) AAA batteries



TRUEVIEW™ III 2 AAA

| | |
|---|--------------------------------------|
| | IPL-LED |
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 100 |
| Max. run time (h) | 3 |
| Beam distance (m) | 30 |
| Weight with battery pack (kg) | 0.1 |
| Kit included | 2 x AAA Batteries, Blister packaging |
| Article Number | 4933459440 |

HL2-LED | ALKALINE SLIM HEADLAMP

- 350 Lumens of TRUEVIEW™ high definition output
- Washable micro fiber sweat-absorbing strap for all day comfort on the head
- Ultra compact and lightweight product
- 6-position tilt adjustment for directing light
- 4 mounting clips for securing to helmets
- Light is protected from impact as well as from weather and dust
- Includes (3) AAA batteries



TRUEVIEW™ III 3 AAA

| | |
|---|--------------------------------------|
| | HL2-LED |
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 350 / 150 / 25 / - |
| Max. run time (h) | 4 / 8.5 / 31 / - |
| Weight with battery pack (kg) | 0.1 |
| Kit included | 3 x AAA Batteries, Blister packaging |
| Article Number | 4933471286 |

HL-SF | ALKALINE SPOT FLOOD HEADLAMP

- 450 Lumens of TRUEVIEW™ high definition output with 100 m spot beam distance and a wide flood beam
- Gives users up to 25 hours of run time with five light output modes to optimise run time, beam type, and brightness
- Supplied with four universal hard hat clips for secure connection to all hardhats
- IP52 rated for water and dust resistance and can withstand up to 2 m drops
- Equipped with a soft, sweat absorbing microfiber strap and forehead pad that provides users with all day comfort when worn on a bare head
- Allows users to direct the pivoting light head using seven adjustable positions
- Powered by (3) AAA batteries (included)



| | |
|--|--------------------------------------|
| HL-SF | |
| Battery compatibility | Alkaline |
| Bulb type | LED |
| Max. light output Hybrid Spot/Flood, Flood High/Medium/Low, Spot High (Lumens) | 450 / 350 / 150 / 25 / 350 |
| Max. run time (h) | 2 / 4 / 10 / 26 / 4 |
| Beam distance (m) | 100 |
| Weight with battery pack (kg) | 0.1 |
| Kit included | 3 x AAA Batteries, Blister packaging |
| Article Number | 4933471398 |

L4 HL | USB RECHARGEABLE HEADLAMP

- 475 Lumens Spot & Flood beam with TRUEVIEW™ high definition output
- Flood, Spot and Spot/Flood beam options in different output modes for optimal brightness and up to 31 hrs. run time
- 4 mounting clips for securing to helmets and adjustable strap with rubber grip
- Light can be maneuvered in (7) different positions and features 216° tilting motion to help users direct light where it's needed most
- Removable strap connector allows for handheld use
- IP53 rating, light is protected from dust and falling water
- Impact and chemical resistant lens
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Jobsite tough micro-USB braided cable with metal ends
- Includes USB cable



| | |
|---|--|
| L4 HL-201 | |
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output Spot-Flood/Flood/Spot/Stroke (Lumens) | 475 / 25, 150, 300 / 300 / - |
| Max. run time with L4 B2 battery (h) | 2 / 31, 8.5, 4.5 / 4 / - |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable, Blister packaging |
| Article Number | 4933459443 |

L4 HL-VIS | USB RECHARGEABLE HI-VIS HEADLAMP

- Exceptional hands-free task lighting with safety light provides 600 Lumens of TRUEVIEW™ high definition output with spot and flood beam options
- The safety light has steady and blinking options that make you visible up to 400 m from all directions when used with the front headlamp
- The clip on hard hat light has an elastic strap, silicon grip, includes two universal hard hat clips and is compatible with all hardhats
- Provides all-day run time with five light output modes: Hybrid Spot/Flood, Flood High, Flood Medium, Flood Low, Spot High
- IP53 water and dust resistant and can withstand up to 2 m drops
- Ideal for roadside, tunnel or underground work, spotters, signalers and professionals working around moving equipment
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Includes USB cable



| | |
|--|--|
| L4 HL-VIS-201 | |
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output Hybrid Spot/Flood, Flood High/Medium/Low, Spot High (Lumens) | 600 / 400 / 150 / 25 / 400 |
| Max. run time with L4 B2 battery (h) | 2 / 4 / 8 / 20 / 4 |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable, Blister packaging |
| Article Number | 4933471399 |

ISHL ALKALINE INTRINSICALLY SAFE HEADLAMP

- The intrinsically safe headlamp comes with a certified Zone 0 (category 1) approved ATEX rating.
- Exceptional hands-free task lighting provides both Spot and Flood beam options with 310 Lumens of TRUEVIEW™ high definition up to 100 m beam distance
- Designed with safety in mind, it has explicit on-tool intrinsically safe logos and the light strap is designed with a hi-visibility colour combination for easy identification, even at far distances
- Powered by 3 AAA batteries, it provides up to 40 hours of run time and features 5 output modes to manage the brightness and run time
- IP64 water and dust resistant and can withstand up to 2 m drops
- Ideal for fire & rescue, oil & gas workers and professionals working around continuous long term gaseous, vaporous and fog/mist areas
- Includes rubber strap for hard hat use & nylon strap for bare head use. Also includes DUAL LOCK™ adhesive for a strapless option to connect straight to a hard hat



Designed with safety in mind, it has explicit on-tool intrinsically safe logos



Provides both Spot and Flood beam option



Includes rubber strap for hard hat use

| | |
|--|--|
| ISHL-0 | |
| Battery compatibility | Alkaline |
| Battery type | 3 x AAA |
| Max. light output Hybrid Spot/Flood, Flood High/Medium/Low, Spot High (Lumens) | 310/ 235/ 155/ 25/ 155 |
| Max. run time (h) | 4/ 6/ 10/ 40/ 8 |
| Beam distance (m) | 100 |
| Weight with battery pack (kg) | 0.1 |
| Kit included | 3 x AAA Batteries, No kitbox or bag supplied |
| Article Number | 4933478112 |

L4 HLRP | USB RECHARGEABLE HARD HAT HEADLAMP

- 600 Lumens of TRUEVIEW™ high definition output
- Features an ultra-thin light head that provides an unobstructed view with 125° of flood beam coverage
- Designed with the battery pack in the rear for maximum maneuverability in tight spaces and a balanced design for all-day use
- Equipped with a sweat absorbing microfiber strap for comfort on bare heads and four included hard hat clips for secure connections on all hardhats
- It has four light output modes: High, Medium, Low and Eco for 25+ hours of run time to maximise light output or extend run time
- The clip on hard hat light is IP64 rated for water and dust resistance and can withstand up to 2 m drops
- Conveniently charge REDLITHIUM™ USB battery internally with micro-USB cable from USB power source or AC outlet (wall plug not included)
- Fuel gauge allows fast checking of REDLITHIUM™ USB battery charge
- Includes USB cable



| | |
|---|--|
| L4 HLRP-201 | |
| System | REDLITHIUM™ USB |
| Battery compatibility | REDLITHIUM™ USB battery |
| Bulb type | LED |
| Max. light output Flood Mode High/Medium/Low/Eco (Lumens) | 600 / 350 / 125 / 25 |
| Max. run time with L4 B2 battery (h) | 2 / 6 / 10 / 27 |
| Weight with battery pack (kg) | 0.2 |
| Kit included | 1 x L4 B2 Battery pack, USB cable, Blister packaging |
| Article Number | 4933471390 |

TRUEVIEW™ HIGH DEFINITION LIGHTING



M18 ONESLDP | M18™ ONE-KEY™ LED COMPACT SITE LIGHT CHARGER

- Optimises brightness and run time by adjusting the light output from 0 - 9000 Lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- Program automatic schedules to decide during which days/times the light is running
- Integrated M18™ charger - charges up to 2 batteries sequentially
- Dual power source, powered by either M18™ REDLITHIUM™ battery packs or use of 2.5 m hardwired cord
- AC outlet gives the possibility to string multiple lights together
- Highly durable and impact resistant polycarbonate lens to protect the light from rough jobsite conditions
- IP54 rating in battery mode - light is protected from dust and splashing water
- TRUEVIEW™ high definition light output delivers consistent beam, optimised colour temperature and true representation of colours and detail



ONE-KEY™ TRUEVIEW™

UNLOCKING THE DIGITAL JOBSITE

| M18 ONESLDP-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 9000 / 4800 / 2500 / - |
| Max. run time with M18 B9 battery (h) | 3.5 / 7 / 14 / - |
| Weight with battery pack (kg) | 12.1 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459160 |

M18 ONESLSP | M18™ ONE-KEY™ LED COMPACT SITE LIGHT

- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- Optimise brightness and run time by adjusting the light output between 0 - 4400 Lumens
- Program automatic schedules to decide during which days/times the light is running
- TRUEVIEW™ high definition lighting solutions combine the most advanced LED technology
- 180° and 360° electronic light control for large area and task lighting
- Self-centering metal hook designed for hanging the light from studs or pipes
- Dual power source, powered by either M18™ REDLITHIUM™ battery packs or use of 2.5 m hardwired cord
- AC outlet gives the possibility to string multiple lights together
- Up to 8 hours of run time on low setting when powered by an M18™ REDLITHIUM™ 5.0 Ah battery pack



ONE-KEY™ TRUEVIEW™

UNLOCKING THE DIGITAL JOBSITE

| M18 ONESLSP-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 4400 / 2100 / 1000 / - |
| Max. run time with M18 B5 battery (h) | 2 / 4 / 8 / - |
| Weight with battery pack (kg) | 5.4 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459156 |

M18 TAL | M18™ TRADESMAN AREA LIGHT

- TRUEVIEW™ high definition lighting with 2,200 Lumens of light output in Area mode and 1,000 Lumens in Flood mode
- Advanced LED technology provides 360° of area light, while an independent array of LEDs on the side provide 90° of task lighting
- Compact design allowing for one-handed transport on the jobsite, with a built-in carry handle
- Impact polycarbonate lens design that is impact and chemical resistant, delivering superior impact durability
- Equipped with a 10.6 cm self-centering metal hook, users can hang the light overhead on studs and piping
- Low battery indicator, light flashes when battery pack is low on charge
- Flexible battery system: works with all MILWAUKEE® M18™ batteries



TRUEVIEW™ M18™

| M18 TAL-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output Area Mode High/Medium/Low (Lumens) | 2200 / 1100 / 550 |
| Max. light output Flood Mode High/Medium/Low (Lumens) | 1000 / 500 / 250 |
| Max. run time with M18 B5 battery (h) | 4 / 8 / 16 |
| Weight with battery pack (kg) | 2.5 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464134 |

HOBL 7000 | HIGH OUTPUT BAY LIGHT

- TRUEVIEW™ high definition lighting - 7700 Lumens of even light output for best jobsite illumination (110 Lumens / Watt)
- Impact resistant polycarbonate lens withstands drops from up to 2.7 m
- Integrated wiring terminal accepts voltages from 90 - 277 V, allows easy wiring and stringing of multiple lights
- Wire strain relief accepts cables up to H07RNF 3 x 2.5 mm²
- Spring-loaded cable retention allows easy adjustment of installation height with 1.2 m steel hanging cable
- 4 m AC power cord for out of the box operation
- Conical lens design and small footprint allow simple storage and safe stacking of up to 3 units



TRUEVIEW™

| HOBL 7000 | |
|------------------|---------------------------|
| Voltage (AC) (V) | 90 - 277 |
| Bulb type | LED |
| Weight (kg) | 3.7 |
| Supplied in | No kitbox or bag supplied |
| Article Number | 4933464126 |

MXF TL MX FUEL™ TOWER LIGHT

- TRUEVIEW™ high definition light output with up to 27,000 Lumens in AC and up to 20,000 Lumens in DC mode for both task and area lighting
- Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed
- Low weight of 48 kg with the two big all-terrain wheels, this tower light is easy to transport across wet and uneven job site terrains with minimum effort
- Due to the motorised mast, the tower light is capable to be set up in less than 10 sec. The mast is extendable up to 3.10 meter and can withstand up to 55 km/h of wind
- To withstand the toughest conditions on the toughest job sites, the MX FUEL™ Tower Light is built with a durable, high impact polycarbonate housing that delivers superior impact durability
- A sealed battery box ensures batteries are kept protected from the elements at all times
- Integrated ONE-KEY™ application for customise, track, and manage from your mobile device. Easy to set the run time which will adjust the output to give constant illumination for the job at hand, and check the remaining battery charge to know when it's time to change the battery

| MXF TL-601 | |
|--|---|
| System | MX FUEL™ |
| Battery compatibility | All MX FUEL™ batteries |
| Bulb type | LED |
| Max. AC light output High/Medium/Low/Strobe (Lumens) | 27,000 / 14,000 / 7000 / - |
| Max. DC light output High/Medium/Low/Strobe (Lumens) | 20,000 / 10,000 / 5000 / - |
| Max. run time AC mode (h) | Endless |
| Max. run time DC mode (h) | 3 / 6 / 12 |
| Max. mast height (m) | 3.1 |
| Weight with battery pack (kg) | 48.0 |
| Kit included | 1 x MXF XC406 Battery pack, Integrated Charger, No kitbox or bag supplied |
| Article Number | 4933471844 |



TRUEVIEW™ ONE-KEY™
UNLOCKING THE DIGITAL JOBSITE.



Due to the motorised mast, the tower light is capable to be set up in less than 10 sec.



Has the ability to manoeuvre the light heads in multiple orientations, allowing the user to direct light to wherever it's needed



A sealed battery box ensure batteries are kept protected from the elements at all times

M18 ONERSAL | M18™ ONE-KEY™ LED REMOTE STAND LIGHT

- Optimises brightness and run time by adjusting the light output from 0 - 5400 Lumens
- ONE-KEY™ tool customisation allows user to control brightness and set light settings remotely
- ONE-KEY™ tool tracking & security offers a cloud-based inventory management platform that supports both location tracking and theft prevention
- IP67 allows use in all weather conditions (heavy rain, snow, dusty environments)
- Reinforced leg design with 3 different leg deployment options for best durability and stability
- Highly durable and impact resistant polycarbonate lens and all aluminium cam design to protect the light from rough working conditions
- TRUEVIEW™ high definition light output delivers consistent beam, optimised colour temperature and true representation of colours and detail
- Sealed battery compartment for up to 2 packs to extend run time
- Change height from 0.5 m to 1.65 m to cast light from overhead to limit shadows
- Collapsible to only 55 cm for easy storage and transportation



ONE-KEY TRUEVIEW™

| M18 ONERSAL-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 5400 / 3000 / 1500 / - |
| Max. run time with M18 B9 battery (h) | 7 / 12.5 / 26 / - |
| Weight with battery pack (kg) | 9.1 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933459431 |

M18 SAL | M18™ LED STAND LIGHT

- TRUEVIEW™ high definition lighting
- Twelve high performance LEDs provide 2000 Lumens on high light output which is brighter than 250 Watt halogen
- Impact resistant adjustable head with highly durable polycarbonate lens can be rotated 230° vertically and pivoted 240° horizontally
- Protective guard secures the head and lens when the light is collapsed for storage or transport
- Extendable mast which reaches from 1.10 m to over 2.20 m to light up work spaces from top without casting shadows
- IP54 - protected from dust and splashing water
- Compact footprint with low center of gravity and impact resistant reinforced nylon legs to protect against abusive jobsite conditions
- Carry handles on 2 positions for easy one handed transport: weight is evenly balanced when compressed
- Low battery indicator - light flashes when battery pack is low



TRUEVIEW™ M18

| | M18 SAL-0 | M18 SAL-002B |
|---|---|--|
| System | M18 | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries | All MILWAUKEE® M18™ batteries |
| Bulb type | LED | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 2000 / 1300 / 850 / - | 2000 / 1300 / 850 / - |
| Max. run time with M18 B5 battery (h) | 4 / 6 / 10 / - | 4 / 6 / 10 / - |
| Weight with battery pack (kg) | - | 7.3 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied | 2 x M18 B5 Battery, M12-18 C Charger, Tool bag |
| Article Number | 4933451246 | 4933451896 |

M18 HOSALC AVAILABLE SOON

M18™ HIGH OUTPUT STAND AREA LIGHT CHARGER

- 6000 Lumens TRUEVIEW™ of High Definition Output
- Up to 10 hours of run time on M18™ REDLITHIUM™ 8.0 Ah battery pack
- 3 impact resistant adjustable heads with highly durable lens can be rotated 180° vertically and pivoted 240° horizontally to have the perfect workplace illumination
- Integrated M18™ charger and 2.1 AMP USB output for USB device charging
- AC/DC versatility: Powered by MILWAUKEE® M18™ batteries, or mains plug supply
- IP54 rating, the light is protected from dust and splashing waters
- Extendable mast which reaches from 1 m to over 2.2 m to light up work spaces from top without casting shadows
- Compact footprint with low centre of gravity and impact resistant reinforced nylon legs to protect against abusive jobsite conditions
- Full length carry handle rail that allows balanced carry with all available M18™ REDLITHIUM™ batteries
- Low battery indicator, light flashes when battery pack is low on charge



| M18 HOSALC-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 6000 / 4000 / 1700 / - |
| Max. run. time with M18 HB6 battery (h) | 3.5 / 5 / 10 |
| Weight with battery pack (kg) | 11.1 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478116 |

M18



Integrated 2.1 AMP USB output for USB device charging



Twelve high performance LEDs that provide up to 6000 Lumens



Full length carry handle rail

M12 SAL | M12™ STAND LIGHT

- TRUEVIEW™ high definition lighting
- 12 high performance LEDs provide 1400 Lumens on high light output
- Impact resistant adjustable head with highly durable polycarbonate lens to withstand drops up to 3 m
- Head can be rotated 210° vertically and pivoted 270° horizontally to have the best perfect workplace illumination
- Protective guard secures the head and lens when the light is collapsed for storage or transport
- Extendable mast which reaches from 0.91 m to over 1.72 m to light up work spaces
- Compact footprint with low center of gravity and impact resistant reinforced nylon legs to protect against abusive jobsite conditions
- Carry handles on 2 positions for easy one handed transport: weight is evenly balanced when compressed
- Low battery indicator - light flashes when battery pack is low



TRUEVIEW™ M12

| M12 SAL-0 | |
|---|---|
| System | M12 |
| Battery compatibility | All MILWAUKEE® M12™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 1400 / - / 700 / - |
| Max. run time with M12 B4 battery (h) | 4 / - / 10 / - |
| Weight with battery pack (kg) | 3.4 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933464823 |

M18 POALC | M18™ PACKOUT™ AREA LIGHT CHARGER

- Three independent pivoting light heads provide 3000 Lumens of TRUEVIEW™ High Definition Output
- All three pivot light heads combined provide up to 12 hours of run time on a M18™ REDLITHIUM™ 5.0 Ah battery pack
- IP54: water and dust resistant
- Built in charger function for quick and convenient charging of any M18™ battery or electric devices via the 2.1 AMP USB output port
- Full system compatibility with the PACKOUT™ Modular Storage System - lighting on and off the stack
- AC/DC versatility: Powered by MILWAUKEE® M18™ batteries, or mains plug supply
- Storage compartment for devices and small items
- 9 total output modes to manage output or run time
- Low battery indicator, light flashes when battery pack is low on charge



TRUEVIEW™ M18

| M18 POALC-0 | |
|---|---|
| System | M18 |
| Battery compatibility | All MILWAUKEE® M18™ batteries |
| Bulb type | LED |
| Max. light output High/Medium/Low/Strobe (Lumens) | 3000 / 1500 / 1000 / - |
| Max. run time with M18 B5 battery (h) | 12 / 8 / 4 |
| Weight with battery pack (kg) | 5.8 |
| Kit included | No batteries supplied, No charger supplied, No kitbox or bag supplied |
| Article Number | 4933478120 |